

Contents

Chapter 1

An Introduction to Semiconductor Materials

| | |
|---------------------------|----|
| 1.1. General outline | |
| 1.2. Semiconductors | 2 |
| 1.3. Method | 6 |
| 1.4. Properties of X-rays | 8 |
| 1.5. Instrumentation | 11 |
| 1.6. Sample definition | 12 |
| References | 21 |

Chapter 2

An Introduction to X-Ray Scattering

| | |
|---|----|
| 2.1. The interaction of X-ray photons with the sample | 23 |
| 2.2. The nature of the scattered X-ray photon with no energy loss | 25 |
| 2.3. The near exact theoretical description of scattering | 33 |
| 2.3.1. The condition of a single wave generated in a crystal | 43 |
| 2.3.2. The condition of two waves generated in a crystal | 45 |
| 2.3.3. A further discussion on the deviation parameter β_H | 53 |
| 2.4. A scattering theory to accommodate real crystals | 56 |
| 2.5. Scattering theory for structures with defects | 60 |
| 2.6. Scattering theory of reciprocal space maps | 64 |
| 2.7. Approximate theory: The kinematical approach | 68 |
| 2.7.1. Comparison between dynamical and kinematical models of diffraction | 68 |
| 2.7.2. The important derivations of the kinematical theory | 70 |
| 2.7.3. Lateral dimension analysis | 74 |
| 2.7.4. Scattering by defects: Diffuse scattering | 77 |
| 2.8. Optical theory applied to reflectometry | 82 |
| 2.8.1. Some general conclusions from this analysis | 88 |
| 2.8.2. Imperfect interfaces | 90 |
| 2.9. In-plane scattering | 96 |

| | |
|-----------------------------|-----|
| 2.10. Transmission geometry | 99 |
| 2.11. General conclusions | 102 |
| References | 103 |

Chapter 3

Equipment for Measuring Diffraction Patterns

| | |
|---|-----|
| 3.1. General considerations | 105 |
| 3.2. Basics of the resolution function | 108 |
| 3.3. X-ray source | 111 |
| 3.4. X-ray detectors | 113 |
| 3.4.1. The proportional detector | 114 |
| 3.4.2. The scintillation detector | 117 |
| 3.4.3. The solid state detector | 118 |
| 3.4.4. Position sensitive detectors | 119 |
| 3.5. Incident beam conditioning with passive components | 121 |
| 3.5.1. Incident beam slits: Fixed arrangement | 121 |
| 3.5.2. Incident beam slits: Variable arrangement | 124 |
| 3.5.3. Parallel Plate Collimators | 126 |
| 3.5.4. General considerations of slits | 127 |
| 3.6. Incident beam conditioning with active components | 128 |
| 3.6.1. Incident beam filters | 128 |
| 3.6.2. Incident beam single crystal conditioners | 129 |
| 3.6.2.1. Single crystal groove conditioners | 130 |
| 3.6.3. Multiple crystal monochromators | 132 |
| 3.6.4. Multilayer beam conditioners | 136 |
| 3.6.5. Beam pipes | 138 |
| 3.7. Diffractometer options: Combinations with scattered beam analysers | 140 |
| 3.7.1. Single slit incident and scattered beam diffractometers | 141 |
| 3.7.1.1. Applications in reflectometry | 143 |
| 3.7.2. Enhancements to the single slit incident and scattered beam diffractometers | 145 |
| 3.7.3. Double slit incident and parallel plate collimator scattered beam diffractometers | 146 |
| 3.7.3.1. Enhanced double-slit incident and parallel-plate collimator scattered beam diffractometers | 147 |

| | |
|--|-----|
| 3.7.3.2. Applications for low-resolution in-plane scattering | 147 |
| 3.7.4. Diffractometers using variable slit combinations | 150 |
| 3.7.4.1. Applications in reflectometry | 150 |
| 3.8. Scattered beam analysers with active components | 151 |
| 3.8.1. The double crystal diffractometer | 151 |
| 3.8.1.1. Alignment of high resolution diffractometers | 152 |
| 3.8.1.2. Applications of the double crystal diffractometer | 154 |
| 3.8.2. The triple crystal diffractometer | 154 |
| 3.8.2.1. Applications of the triple axis diffractometer | 155 |
| 3.8.3. The multiple crystal diffractometer | 155 |
| 3.8.3.1. General considerations of data collection | 160 |
| 3.8.3.2. Alignment of multiple crystal diffractometers | 161 |
| 3.8.3.3. Three dimensional reciprocal space mapping | 164 |
| 3.8.3.4. Applications of multiple crystal diffractometry | 166 |
| 3.8.3.5. In-plane scattering in very high resolution | 167 |
| 3.9. General conclusions | 169 |
| References | 170 |

Chapter 4

A Practical Guide to the Evaluation of Structural Parameters

| | |
|--|-----|
| 4.1. General considerations | 171 |
| 4.2. General principles | 172 |
| 4.3. Analysis of bulk semiconductor materials | 173 |
| 4.3.1. Orientation | 174 |
| 4.3.1.1. Surface orientation – the Laue method | 174 |
| 4.3.1.2. Determining the orientation by diffractometry | 177 |
| 4.3.1.2.2. Monochromator and open detector method | 177 |
| 4.3.1.2.3. Multiple crystal diffractometer method | 179 |
| 4.3.1.3. Determining polar directions | 180 |
| 4.3.2. Revealing the mosaic structure in a bulk sample | 182 |
| 4.3.2.1. Mosaic samples with large tilts | 182 |

| | | |
|------------|---|-----|
| 4.3.2.2. | High resolution scanning methods (Lang method) | 184 |
| 4.3.2.3. | Multiple crystal methods for revealing mosaic blocks | 187 |
| 4.3.3. | Characterising the surface quality | 192 |
| 4.3.4. | Measuring the absolute interatomic spacing in semiconductor materials | 195 |
| 4.3.5. | Measuring the curvature of crystalline and non-crystalline substrates | 197 |
| 4.4. | Analysis of nearly perfect semiconductor multi-layer structures | 200 |
| 4.4.1. | The first assumption and very approximate method in determining composition | 200 |
| 4.4.2. | The determination of thickness | 205 |
| 4.4.2.1. | Determining the thickness from the fringes close to main scattering peaks | 205 |
| 4.4.2.2. | Determining the thickness from the fringes in the reflectometry profile | 208 |
| 4.4.3. | The simulation of rocking curves to obtain composition and thickness | 209 |
| 4.4.3.1. | Example of an analysis of a nearly perfect structure | 210 |
| 4.4.3.2. | Direct analysis from peak separation and fringe separations | 212 |
| 4.4.3.3. | Simulation using an iterative adjustment of the model | 212 |
| 4.4.3.3.1. | Linking parameters to cope with complex multi-layer structures | 213 |
| 4.4.3.4. | Automatic fitting of the data by simulation | 215 |
| 4.4.3.5. | Data collection with the 2-crystal 4-reflection monochromator and 3-reflection analyser | 219 |
| 4.4.3.6. | Reciprocal space map to analyse the imperfections in samples | 220 |
| 4.4.3.7. | Taking account of tilts in rocking curve analyses | 224 |
| 4.4.3.8. | Modelling the extent of the interface disruption in relaxed structures | 226 |

| | | |
|------------|---|-----|
| 4.4.3.9. | Detailed analysis to reveal alloy segregation and the full structure of a multi-layer | 227 |
| 4.4.4. | Analysis of periodic multi-layer structures | 229 |
| 4.4.4.1. | The analysis using direct interpretation of the scattering pattern | 229 |
| 4.4.4.2. | The analysis using basic kinematical theory | 231 |
| 4.4.4.3. | Analysis of periodic multi-layers with dynamical theory | 235 |
| 4.4.4.4. | Analysis of periodic structures with reflectometry | 238 |
| 4.4.4.5. | Analysis of a nearly perfect epitaxial periodic multi-layer | 239 |
| 4.4.4.5.1. | Analysis based on the kinematical approach | 240 |
| 4.4.4.5.2. | Analysis based on the optical theory with reflectometry | 245 |
| 4.4.4.5.3. | Analysis based on the dynamical theory simulation | 247 |
| 4.5. | Analysis of mosaic structures (textured epitaxy) | 248 |
| 4.6. | Analysis of partially relaxed multi-layer structures (textured epitaxy) | 249 |
| 4.6.1. | Measuring the state of strain in partially relaxed thin layers | 251 |
| 4.6.2. | Obtaining the composition in partially relaxed thin layers | 253 |
| 4.6.3. | The measurement of the degree of relaxation and mismatch in thin layers | 255 |
| 4.6.4. | The determination of relaxation and composition with various methods | 256 |
| 4.6.4.1. | Determination by reciprocal space maps on an absolute scale | 256 |
| 4.6.4.2. | Determination by using a series of rocking curves and analyser scans | 258 |
| 4.6.4.3. | Determination by reciprocal space maps on a relative scale | 260 |
| 4.6.4.4. | Determination by rocking curves alone | 261 |
| 4.6.4.5. | Revealing dislocations and defects by topography | 263 |

| | |
|---|-----|
| 4.6.4.6. Simulating structures with defects | 264 |
| 4.7. Analysis of laterally inhomogeneous multi-layers (textured polycrystalline) | 266 |
| 4.7.1. Direct analysis of laterally inhomogeneous multi-layers | 266 |
| 4.7.2. Simulation of laterally inhomogeneous multi-layers | 270 |
| 4.7.3. Lateral inhomogeneities without large misfits | 272 |
| 4.7.3.1. Analysing epitaxial layers with very small twinned regions | 273 |
| 4.7.3.2. Analysing twin components larger than 5 microns | 274 |
| 4.8. Analysis of textured polycrystalline semiconductors | 275 |
| 4.9. Analysis of nearly perfect polycrystalline materials | 277 |
| 4.9.1. Measurement of thickness of CrO _x on glass | 278 |
| 4.9.2. Analysis of very weak scattering | 280 |
| 4.10. Concluding remarks | 282 |
| References | 282 |

Appendix 1

General Crystallographic Relations

| | |
|--------------------------------|-----|
| A.1. Introduction | 285 |
| A.2. Interplanar spacings | 285 |
| A.3. Stereographic projections | 287 |
| Subject Index | 295 |