

Contents

<i>Preface</i>	vii
<i>Acknowledgements</i>	xiii
1 The Evolution of Optical Fibre Communication Systems	1
1.1 Introduction	1
References	10
2 Basic Principles of Optical Amplifiers	15
2.1 Introduction	15
2.2 Interaction of Radiation with a Two-Level System	16
2.2.1 Radiative processes	17
2.2.2 Spontaneous emission	17
2.2.3 Stimulated emission	18
2.2.4 Absorption	19
2.2.5 Optical gain	21
2.3 Characterisation of Optical Amplifiers	24
2.3.1 Signal gain	24
2.3.2 Frequency bandwidth	26
2.3.3 Saturation output power	27
2.3.4 Noise figure	28
2.4 Ideal Optical Amplifiers	31
2.5 Practical Optical Amplifiers	32
2.5.1 Performance limits of the amplifier signal gain	32
2.5.2 Performance limits of the amplifier bandwidth	33
2.5.3 Performance limits of saturation output power	33
2.5.4 Performance limits of the noise figure	34
2.6 Summary	39
References	39

3	Optical Amplification in Semiconductor Laser Diodes	45
3.1	Introduction	45
3.2	Principles of Optical Amplification in Semiconductor Lasers	45
3.2.1	Optical processes in semiconductors	46
3.2.2	Analysis of optical gain in semiconductors	50
3.3	Semiconductor Laser Diodes as Optical Amplifiers	58
3.3.1	Optical amplification using homojunctions	58
3.3.2	Optical amplification using heterostructures	61
3.4	Types of Semiconductor Laser Amplifiers	64
3.4.1	Operational classification	64
3.4.2	Structural classification	68
3.5	Radiative Transition in Semiconductors	70
3.5.1	Stimulated emissions	71
3.5.2	Spontaneous emissions	73
3.6	Applications of Semiconductor Laser Amplifiers	74
3.6.1	Non-regenerative repeaters	75
3.6.2	Pre-amplifiers to optical receivers	77
3.6.3	Bistable and switching applications	78
3.6.4	Other applications	80
	References	81
4	Analysis of Transverse Modal Fields in Semicon- ductor Laser Amplifiers	89
4.1	Introduction	89
4.2	Solution of Transverse Modal Fields in Rectangular Optical Waveguides	90
4.2.1	Solution for a three-layer slab (Planar optical waveguide)	91
4.2.2	Solution for a rectangular dielectric waveguide using modal field approximations	98
4.2.3	Application of Effective Index Method (EIM) for calculating propagation constants for transverse modal fields in rectangular dielectric waveguides	102
4.2.4	Other methods to solve for transverse modal fields and the dispersion characteristics of rectangular dielectric waveguides	107
4.3	Applications of Solutions of Transverse Modal Fields in SLAs	109

4.3.1	Analysis of the modal gain coefficients	109
4.3.2	Design of a polarisation insensitive Travelling Wave Amplifier (TWA)	113
4.3.2.1	Effect of active layer thickness	116
4.3.2.2	Effect of refractive index distribution	120
4.3.2.3	Effect of active layer width	124
4.4	Importance of Transverse Modal Fields Properties in SLAs	126
	References	127

5 Analysis and Modelling of Semiconductor Laser

	Diode Amplifiers: Gain and Saturation Characteristics	131
5.1	Introduction	131
5.2	Analysis of Semiconductor Laser Diode Amplifiers with a Uniform Gain Profile	132
5.2.1	Amplifier gain formulation in semiconductor laser amplifiers	133
5.2.1.1	Active Fabry–Perot formulation	133
5.2.1.2	Photon statistics formulation	138
5.2.1.3	Comparisons between the two formulations	139
5.2.2	Gain saturation formulation in semiconductor laser diode amplifiers	140
5.2.3	Appraisal on using a uniform gain profile in analysing SLAs	142
5.3	General Analysis of Semiconductor Laser Diode Amplifiers (A Brief Review)	142
5.3.1	Analysis using rate equations	143
5.3.2	Analysis using travelling-wave equations	144
5.4	Analysis of Semiconductor Laser Diode Amplifiers using Transfer Matrices	148
5.4.1	A brief review of matrix methods	148
5.4.2	Analysis of longitudinal travelling fields in SLAs using transfer matrix method	152
5.4.3	Analysis of SLAs with a non-uniform gain profile using transfer matrix method	157
5.4.4	Computational considerations	160
5.5	An Equivalent Circuit Model for SLAs	165
5.6	Applications	169

5.6.1	Structural effects on amplifier gain	170
5.6.2	System considerations	173
5.7	Analysis of Gain Saturation in a SLA with a Uniform Material Gain Profile	177
5.8	Summary	180
	References	181
6	Analysis and Modelling of Semiconductor Laser	
	Diode Amplifiers: Noise Characteristics	187
6.1	Introduction	187
6.2	Formulation of Noise in Semiconductor Laser Amplifiers	188
6.2.1	Photon statistics formulation	188
6.2.2	Rate equation approach	196
6.2.3	Travelling-wave equations formulation	199
6.3	Analysis of Noise in SLAs using the Equivalent Circuit Model	199
6.3.1	Representation of Spontaneous Emissions in a SLA by an Equivalent Circuit	199
6.3.2	Validity of modeling spontaneous emissions by an equivalent circuit	202
6.3.3	Effects of stray reflections on the spontaneous emission power from a SLA	211
6.4	Applications	218
6.4.1	Device design criteria	218
6.4.2	System considerations	225
6.5	Analysis of SLA Spontaneous Emission Power using Green Function Approach	227
6.5.1	Travelling-wave amplifier (TWA)	228
6.5.2	Fabry–Perot amplifiers	230
6.6	Summary	231
	References	232
7	Experimental Studies on Semiconductor Laser	
	Diode Amplifiers	237
7.1	Introduction	237
7.2	Basic Set-up for Measurements	238
7.2.1	The semiconductor laser diode source	238
7.2.2	Semiconductor laser diode amplifier	245

	7.2.3	Detection circuit	245
7.3		Experimental Studies on Recombination Mechanisms . .	247
	7.3.1	Principles of the experimental measurement . .	248
	7.3.2	Experimental procedures	249
	7.3.3	Results and discussions	250
7.4		Measurement of Gain Characteristics	252
	7.4.1	Experimental set-up	252
	7.4.2	Experimental procedures	257
		7.4.2.1 Determination of coupling losses in the set-up	257
		7.4.2.2 Measurement of amplifier gain	258
	7.4.3	Results and discussions	259
7.5		Measurement of Noise Characteristics	263
	7.5.1	Experimental set-up	263
	7.5.2	Experimental procedures	264
	7.5.3	Results and discussions	266
7.6		Summary	270
		References	271
8		Novel Semiconductor Laser Diode Amplifier Structure	273
	8.1	Introduction	273
	8.2	Theoretical Model	274
		8.2.1 The normalised power of the fundamental mode	274
		8.2.2 The gain saturation performance	277
		8.2.3 The relative amplified spontaneous emission . .	280
	8.3	Analysis, Results and Discussions	280
		8.3.1 The shape of the taper structure	280
		8.3.2 Adiabatic single-mode condition	281
		8.3.3 The intensity and carrier distributions	283
		8.3.4 The gain saturation and relative amplified spontaneous emission	285
	8.4	Summary	286
		References	288
9		Picosecond Pulse Amplification in Tapered- Waveguide Semiconductor Laser Diode Amplifiers	291
	9.1	Introduction	291
	9.2	Theory	292
	9.3	Results and Discussions	296

9.4	Summary	307
	References	308
10	Sub-picosecond Gain Dynamic in Highly-Index Guided Tapered-Waveguide Semiconductor Laser Diode Optical Amplifiers	311
10.1	Introduction	311
10.2	Theoretical Model	313
10.3	Results and Discussions	316
10.4	Summary	324
	References	325
11	Saturation Intensity of InGaAsP Tapered Travelling-Wave Semiconductor Laser Amplifier Structures	329
11.1	Introduction	329
11.2	An Analytical Expression of Saturation Intensity of a Tapered TW-SLA Structure	329
11.3	Effects of Gain Saturation on Polarisation Sensitivity	333
11.3.1	Polarisation sensitivity of tapered TW-SLA structures	333
11.3.2	Fundamental TE mode gain	334
11.4	Summary	335
	References	337
12	Wavelength Conversion in Tapered-Waveguide Laser Diode Amplifiers Using Cross-Gain Modulation	339
12.1	Introduction	339
12.2	Theoretical Method	340
12.3	Simulation Results	342
12.3.1	Extinction ratio for up and down conversion	343
12.3.2	Dependence of signal converted power on signal and probe wavelength	345
12.3.3	Dependence of extinction ratio on input signal and probe power	347
12.3.4	Effect of signal power and probe power on the peak power of the converted signal	349

12.3.5	Effect of signal power and probe power on the rise time	352
12.3.6	Extinction ratio degradation	354
12.4	Summary	357
	References	358

13 The Semiconductor Laser: Basic Concepts and Applications 361

13.1	Introduction	361
13.2	Fundamental Optical Processes	363
13.3	Homojunction and Double Heterojunction	364
13.4	Lasing Condition	365
13.5	Laser Structures	370
13.5.1	Lateral mode confinement	371
13.5.2	Longitudinal mode control	372
13.6	Rate Equations	374
13.7	Laser Linewidth and Chirping	377
13.8	Laser Noise	379
13.8.1	Relative Intensity Noise (RIN)	379
13.8.2	Mode partition noise	379
13.8.3	Phase Noise	381
13.9	Modulation Behaviour	382
13.9.1	Small-signal modulation	382
13.9.2	Large-signal modulation	384
13.9.3	Nonlinear distortion	385
13.10	Short Pulse Generation Schemes	386
13.11	Summary	393
	References	393

14 Microwave Circuit Techniques and Semiconductor Laser Modelling 397

14.1	Introduction	397
14.2	The Transmission-Line Matrix (TLM) Method	399
14.3	TLM Link-Lines and Stub-Lines	399
14.3.1	TLM link-lines	400
14.3.2	TLM stub-lines	401
14.4	Scattering and Connecting Matrices	403
14.5	Transmission-Line Laser Modelling (TLLM)	411
14.6	Basic Construction of the Model	412

14.7	Carrier Density Model	414
14.8	Laser Amplification	416
14.9	Carrier-Induced Frequency Chirp	424
14.10	Spontaneous Emission Model	427
14.11	Computational Efficiency-Baseband Transformation	430
14.12	Signal Analysis — Post-Processing Methods	433
14.13	Summary	436
	References	437
15	Microwave Circuit Models of Semiconductor Lasers	441
15.1	Introduction	441
15.2	Electrical Parasitics	442
15.3	Lumped-Element Circuit Models	445
15.3.1	Large signal model	445
15.3.2	Light-current characteristics	446
15.3.3	Transient response	448
15.3.4	Mode competition	452
15.3.5	Nonlinear distortion	460
15.3.6	Small signal model	462
15.3.7	Intensity modulation (IM) response	463
15.4	Distributed-Element Circuit Model the Integrated Transmission-Line Laser Model (TLLM)	466
15.5	Intrinsic Laser Model	468
15.6	Electrical Parasitics Model	471
15.7	Matching Considerations	473
15.8	Small-Signal Modulation	476
15.9	Large-Signal Modulation	479
15.10	Design of the Matching Circuit	479
15.11	Harmonic Generation by Gain-Switching	483
15.12	Frequency Chirp	489
15.13	Carrier-Dependent Laser Diode Impedance	490
15.14	Derivation of the Large-Signal Circuit Model	494
15.14.1	Modelling the junction voltage, V_j	494
15.14.2	From rate equations to circuit equations	498
15.14.3	Simplified large-signal circuit model	501
15.14.4	Gain-guided laser — Stripe-geometry laser	503

15.14.5	Index-guided laser structures — Ridge-waveguide and etched mesa buried heterostructure (EMBH) lasers	504
15.15	Small-Signal Circuit Model of Laser Diodes	506
15.15.1	Small signal circuit model below threshold . . .	506
15.15.2	Small-signal circuit model above threshold (excluding diffusion)	508
15.15.3	Small-signal model including carrier diffusion effect	511
15.15.4	Further approximations to the circuit element expressions	516
15.16	Rate Equations Including Diffusion Damping	516
15.16.1	Derivation of three position-independent rate equations from laterally position- dependent rate equations	516
15.16.2	Reduction of the three position-independent rate equations into two averaged rate equations . . .	521
15.17	Summary	521
	References	522

16 Transmission-Line Laser Model of Tapered Waveguide Lasers and Amplifiers 529

16.1	Introduction	529
16.2	Tapered Structure Transmission-Line Laser Model (TS-TLLM)	531
16.3	Effective Index Method (EIM)	533
16.4	Transverse and Lateral Modes in Strongly Index-Guided Laser Structures	534
16.5	Mode Conversion — Coupling Coefficients	536
16.6	Beam-Spreading Factor	542
16.7	Spectrally-Dependent Gain	544
16.8	Computational Efficiency	546
16.9	Lateral Hole-Burning (LHB)	555
16.10	Spontaneous Emission Spectrum	557
16.11	Dynamic Wavelength Chirp	560
16.12	Scattering Matrix	561
16.13	Connecting Matrix	564
16.14	Results and Discussions	566

16.15	Summary	578
	References	579
17	Novel Integrated Mode-Locked Laser Design	583
17.1	Introduction	583
17.2	Integrated Mode-Locked Laser Design with Distributed Bragg Gratings and Tapered Waveguide Amplifier	584
17.3	Detuning Characteristics	586
17.4	TLM Model of Corrugated Grating Structures	597
17.5	Design of Grating (DFB and DBR) Sections	601
17.6	Amplifier Design	607
17.7	Residual Facet Reflectivity and Internal Reflections	610
17.8	Passive Waveguide Loss	617
17.9	Effect of Dynamic Chirp	623
17.10	Operating Conditions — DC Bias Level and RF Power	628
17.11	Summary	632
	References	634
18	Summary, Conclusion and Suggestions	639
18.1	Summary of Part I (Chapters 1 to 7)	639
18.1.1	Limitations of the research study	642
18.1.2	Limitations on theoretical studies	643
18.1.3	Limitations on experimental studies	644
18.2	Summary of Part II (Chapters 8 to 12)	644
18.3	Summary of Part III (Chapters 13 to 17)	646
18.4	Summary of New Contributions	647
18.4.1	Microwave optoelectronic models of the laser diode transmitter (Chapter 15)	647
18.4.2	Transmission-line laser model of tapered waveguide semiconductor laser amplifier structures (Chapter 16)	648
18.4.3	Design and optimisation of a novel multisegment mode-locked laser device (Chapter 17)	650
18.5	Suggestions for Future Work	651
18.5.1	Parts I and II of the book	651
18.5.2	Part III of the book	652
18.5.2.1	Wavelength conversion and all-optical regeneration in semiconductor optical amplifiers	652

18.5.2.2	Mode-locked laser design based on the multichannel grating cavity (MGC) laser	653
18.5.2.3	Chirped fibre Bragg gratings for novel applications	654
References	656
<i>Index</i>		661